

เอกสารอ้างอิง

1. Lernau OZ, Sherzer E, Mogle P, Nissan S. Congenital cricopharyngeal achalasia treatment by dilatation. *J Pediatr Surg* 1984; 19: 202-3
2. Dinari G, Danziger Y, Mimouni M, Rosenbach Y, Zahavi H, Grunebaum M. Cricopharyngeal dysfunction in childhood: Treatment by dilatations. *J Pediatr Gastroenterol Nutr* 1987; 6: 212-6
3. Skinner MA, Shorter NA. Primary neonatal cricopharyngeal achalasia: A case report and review of the literature. *J Pediatr Surg* 1992; 27: 1509-11
4. De Caluwe D, Nassogne MC, Reding R, Ville de Goyet JD, Clapuyt Ph, Otte JB. Cricopharyngeal achalasia: A case reports and review of the literature. *Eur J Pediatr Surg* 1999; 9: 109-12
5. Brooks A, Millar AJW, Rode H. The surgical management of cricopharyngeal achalasia in children. *Int J Pediatr Otorhinolaryngol* 2000; 56: 1-7
6. Muraji T, Takamizawa S, Satoh S, et al. Congenital cricopharyngeal achalasia: Diagnosis and surgical management. *J Pediatr Surg* 2002; 37: 1034-4
7. Erdeve O, Kologlu M, Saygili B, Atasay B, Arsalan S, Ertan M. Cricopharyngeal achalasia in a newborn treated by balloon dilatation: A case report and review of the literature. *Int J Pediatr Otorhinolaryngol* 2007; 71: 1657-8
8. Jain V, Bhatnagar V. Cricopharyngeal myotomy for the treatment of cricopharyngeal achalasia. *J Pediatr Surg* 2009; 44: 1656-7
9. Martin N, Prince JM, Stone TB, Goyal A, Menta D. Congenital cricopharyngeal achalasia in a 4.5-year-old managed by cervical myotomy: A case report. *Int J Pediatr Otorhinolaryngol* 2011; 75: 289-92
10. Messer AH, Ho AS, Pathotra PS, Koltai PJ, Barnes MA. The use of botulinum toxin for pediatric cricopharyngeal achalasia. *Int J Pediatr Otorhinolaryngol* 2011; 75: 830-4
11. Brendel M, Carmel E, Kerimis P, Wolf M, Finkelstein Y. Cricopharyngeal achalasia in children: Surgical and medical treatment. *IMAJ* 2013; 15: 430-3
12. Kornblum C, Broicher R, Walther E, et al. Cricopharyngeal achalasia is a common cause of dysphagia in patients with mtDNA deletions. *Neurology* 2001; 56: 1409-12