

เอกสารอ้างอิง

1. Scherer J, Singh VP, Pitchumoni CS, Yadav D. Issues in hypertriglyceridemic pancreatitis: an update. *J Clin Gastroenterol* 2014; 48: 195.
2. Lutfi R, Huang J, Wong HR. Plasmapheresis to treat hypertriglyceridemia in a child with diabetic ketoacidosis and pancreatitis. *Pediatrics*. 2012; 129: 195-8.
3. Deng LH, Xue P, Xia Q, et al. Effect of admission hypertriglyceridemia on the prognosis of severe acute pancreatitis. *World J Gastroenterol* 2008; 14: 455-8.
4. Fredrickson DS. An international classification of hyperlipidemias and hyperlipoproteinemias. *Ann Intern Med* 1971; 75: 471.
5. Yadav D, Agarwal N, Pitchumoni CS. A critical evaluation of laboratory tests in acute pancreatitis. *Am J Gastroenterol* 2002; 97: 1309-18.
6. UK guidelines for the management of acute pancreatitis. *Gut* 2005; 54 Suppl3: iii1-9.
7. Frank B, Gottlieb K. Amylase normal, lipase elevated: is it pancreatitis? A case series and review of the literature. *Am J Gastroenterol* 1993; 94: 463-9.
8. Banks PA, Freeman ML. Practice guidelines in acute pancreatitis. *Am J Gastroenterol*. 2006; 101: 2379-400.
9. Szczepiorkowski ZM, Winters SA, Barakatlenko N, et al. Guidelines on the use of therapeutic apheresis in clinical practice: evidence-based approach from the Apheresis Applications Committee of the American Society for Apheresis. *J Clin Apher* 2010; 25:83.
10. Mikhail N, Trivedi N, Page C, et al. Treatment of severe hypertriglyceridemia in non-diabetic patients with insulin. *Am J Emerg Med* 2005; 23: 415.